



Phone. No. (02164) 272414, 8275706613  
Web : <http://gcekarad.ac.in>  
Email: [principal@gcekarad.ac.in](mailto:principal@gcekarad.ac.in),  
[principal.gcekarad@dtmaharashtra.gov.in](mailto:principal.gcekarad@dtmaharashtra.gov.in)



Govt. of Maharashtra  
**GOVT. COLLEGE OF ENGINEERING,  
KARAD**

(An Autonomous Institute of Govt. of Maharashtra)  
Vidyanagar, Karad -415124 Dist.- Satara

GCEK/QUOT/Loading Frame-Shed Extension/2021-22/ 893

Date: 5 MAR 2022

To,

**Sub: - Extension of shed for Loading Frame at GCE**

Dear Sir,

With reference to the above, I request you to please quote your most comparative rates for the work as detailed overleaf/enclosed so as to reach the office **on or before 14/03/2022**. The prices of the **work should be quoted F.O.R. at G.C.E., KARAD** and exclusive of all taxes. The delivery period should be stated clearly and adhered to 'AF' or 'D' forms will be supplied where necessary. The R.R. through Bank or V.P. will not be accepted if order is placed. The specification of the material should be mentioned in full such as brand, make and company etc. I do not bind myself to accept/reject the offer, and its detailed leaflet must be attached. Your quotation should be valid at least for 30 days from the date of opening. The quotations should be sent in a sealed envelope. The envelope should please be superscripted with words **'QUOTATION DUE ON – Principal, Govt. College of Engg. Karad'**

With this office reference no. & date of opening should also be mentioned on the sealed envelope. If the materials are not supplied according to the specification, it will be returned to you at your own cost. If ordered, you will have to submit three copies of the bill, which will be passed after receipt of material in good condition. Please note that if there is any overwriting in the quotation, the said item will not be taken in to consideration unless is initialed.

**Government registered contractors are only eligible to fill the quotations.**

**The quotations should be received on or before: - 14/03/2022 on or before 4:00 pm.**

**The quotation received will be opened on: - 15/03/2022, at 11.00 am.**



**‘QUOTATION – Principal, Govt. College of Engg. Karad’**

**Name of Work: - Extension of shed for Loading Frame at GCE**

**SUMMARY SHEET**


Sr. No.	Description	Amount
	<b>Total Civil Work</b>	<b>Rs. 97,617.00</b>
	Add GST 12%	Rs. 11,714.00
	<b>Total with GST</b>	<b>Rs. 1,09,331.00</b>

**ABSTRACT (As per SSR 2021-22)**

Sr. No.	Item Ref.	Item Description	Qty	Unit	Rate in Rupees	Amount
1	23.03 Pg. No. 129	Providing structural steel work in single stanchions composed of R.S.J. Channel etc. with caps, bases, mild steel plated, angle brackets, cleats, gusset plates, anchor bolts etc. as per detailed designs and drawings or as directed including cutting, fabrication, hoisting, erecting fixing in position, making riveted/ bolted/ welded connection and one coat of anticorrosive paint and over it two. coats of oil painting approved quality and shade etc. complete.	0.068	MT	85803.00	5834.60
2	23.11 Pg. No. 130	Providing structural steel work of rectangular hollow steel section for steel trusses, other similar trussed items like purlin and members with all bracing, gusset plates etc. as per detailed designs and drawings or as directed including cutting, fabricating, hoisting, erecting, fixing in position making riveted/bolted/ welded connections and one coat of anticorrosive paint and over it two coats of oil painting of approved quality and shade complete.	0.284	MT	101994.00	28966.30
3	38.34 Pg. No. 173	Providing and fixing colour coated Zinalume (R) AZ150 (min 150 gms/sq.mt. total on each side) profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness (BMT) (0.5 mm TCT), Hi-strength steel with min.550 MPa yield strength, metallic hot dip coated with Aluminium-Zinc alloy (55% aluminium 43.4% zinc 1.6% silicon) with COLORBOND (R) steel quality super durable polyester paint coat (with inorganic pigment). The paint shall have a total coating thickness of nominal 35 um, comprising of nominal 25 um exterior coat on top surface and nominal 10 um reverse coat on back surface. Profile sheet shall have nom. 950-1050 mm effective cover width and nominal 25-30 mm deep ribs with subtle square fluting in the five pan at nominal 180-250 mm center- to-center. The end rib shall be designed for anti-capillary groove. and return leg. The feed material should have coil manufacturers product details marked a regular interval. Including fasteners with min. fastened with min. 25 um Zinc-Tin alloy coated, Hex head, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre)	52.80	Sqm	1095.00	57816.00



4		Other repairs works if any		LS		5000.00
		<b>TOTAL AMOUNT</b>				<b>97616.90</b>
		<b>SAY</b>				<b>97617.00</b>

  
**Principal**  
**Govt. College of Engineering, Karad.**