



GOVERNMENT COLLEGE OF ENGINEERING, KARAD

(An autonomous institute of Govt. of Maharashtra)
VIDYANAGAR, KARAD, DIST. - SATARA. PINCODE - 415 124.

Web: <http://www.gcekarad.ac.in>



PHONE NO. - (02164) - 271711, 271712, 271713

FAX NO. - (02164) - 271713

No. GCEK/CHEM/ 2017-18/ 3959

Date:

6 NOV 2017

To,

Sub: - Quotation Invitation for supply of Material for chemistry DEPARTMENT.

With Reference to the subject maintained above, you are requested to quote your rates for the CHEMISTRY DEPARTMENT, the details are as per list attached. Your quotation should reach this office on or before


Prices should be quoted F.O.R. Institute (Karad). Rate should be quoted with all taxes stated separately. Your Quotation will be valid up to 31ST MARCH 2018 from the date of opening.

The quotation should be sent in sealed envelope. On the top of envelop should write

"QUOTATION FOR GOVT. COLLEGE OF ENGG. KARAD CHEMISTRY DEPT DUE ON

The quotation will be opened on 21st Nov 2017 at 5:00PM or next working day.

Yours faithfully,


Principal,
Govt. College of Engineering, Karad.

Terms and Conditions:

1. Quotation should be submitted in sealed envelope.
2. On quotation signature and stamp must be required. if the signature and stamp is not available on quotation ,the quotation will be rejected without giving any information for the supplier.
3. Following document must be required. if anyone is not available on quotation ,the quotation will be rejected without giving any information for the supplier.
A) Copy of pan card B) GST Registration Certificate c) SSI / NSIC Registration Certificate
4. The goods should be supplied within 30 days from the date of the receipt of this order.
5. The goods should be supplied F.O.R. Institute
6. The stores shall be securely packed, suitably marked and dispatched by Goods/Passenger train/ Motor/ Truck/ Local/ Conveyance or by Registered post Parcel whichever is economical & convenient freight paid and at carriers risk.
7. All the material should be of good quality. Quantities may increase or decrease.
8. Railway receipt or Motor transport receipt and the Insurance certificate should be sent by Registered A/d and not through Bankers or by V.P.P.
9. Please note that if materials are not found as per our specifications the same will be returned to you at your own cost.
10. The three copies of bill separately, should be sent to this office along with the materials. The bill will be passed after receipt of material in good condition and its satisfactory acceptance, payment will be made after 30 days.
11. The relevant GST Registration Nos. and the Certificate in the form given on the bill in support of your claim for GST if any: -
12. "Certified that the goods, on which GST has been charged, have not been exempted under the Inter State and/ or the State Sales Tax Act. or the rules made there under and the charges on account of GST on these goods are correct and that in case of supplies against regular contracts, the relevant contract includes a specific provision that the Sales Tax is payable by Government."
13. **Penalty:** To recover from you as liquidated damages a sum equivalent to 0.5 percent of the price of the undelivered stores at the stipulated rate of each week or part thereof during which the delivery of such stores may be delayed to a maximum limit in the case of an order not e 5 percent of the stipulated price of the stores so undelivered. Such penalty is to deduce always by the consignee from the bill of the firm.
14. ALL the material of this inquiry will be not purchase at a time. it will be purchased as per requirement up to 31st march 2018
15. Incomplete quotation will be rejected.

The receipt of this order and acceptance of the terms and conditions mentioned

There in may please be intimated to this office immediately.

PRINCIPAL
Govt. College of Engineering, Karad

Detailed Specifications

SR.NO	ITEM Specification	QTY	Rate Per Unit	GST																								
01	<p>MASTER KIT FOR DRINKING WATER -</p> <p>Specs –</p> <p>These parameters are available in a single integrated Kit called Master Kit for Drinking Water. Details are as under:</p> <p>1) Hardness</p> <p>2) Alkalinity</p> <p>3) Chlorides</p> <p>4) Iron</p> <p>5) Nitrates</p> <p>6) Fluorides</p> <p>7) pH</p> <p>8) Turbidity</p> <ul style="list-style-type: none"> • All parameters packed in a compact thermocol / HIP-lined carrycase for convenient field use. • The Kit comes with Instructions manual containing easy step-by-step testing procedures. • The Kit contains everything needed to perform rapid on-site analysis of drinking water. <p>No. of tests of each parameter: 100</p>	01 NOS																										
02	<p>SOIL TESTING KIT –</p> <p>SPECS –</p> <p>This Kit can be used to rapidly test soil for following 5 parameters at site itself:</p> <p>The Kit attempts to provide a fairly accurate idea about the nutrient level in the soil. The users get an idea as to whether the nutrient rating is very low, low, medium, high or very high. Thus, further corrective action can be carried out as required.</p> <table border="1"> <thead> <tr> <th>Sr no</th> <th>Name of the parameter</th> <th>Range</th> <th>No of Tests</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>pH</td> <td>4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0</td> <td>50</td> </tr> <tr> <td>2</td> <td>Available Nitrogen (N) (Kg/ha)</td> <td>140, 280, 420, 560, 700</td> <td>50</td> </tr> <tr> <td>3</td> <td>Available Phosphorus (P) (Kg/ha)</td> <td>7, 14, 21, 28, 35</td> <td>50</td> </tr> <tr> <td>4</td> <td>Available Potassium (K) (Kg/ha)</td> <td>100, 150, 200, 250, 300</td> <td>50</td> </tr> <tr> <td>5</td> <td>Organic Carbon (%)</td> <td>0.2, 0.4, 0.6, 0.8, 1.0</td> <td>50</td> </tr> </tbody> </table>	Sr no	Name of the parameter	Range	No of Tests	1	pH	4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0	50	2	Available Nitrogen (N) (Kg/ha)	140, 280, 420, 560, 700	50	3	Available Phosphorus (P) (Kg/ha)	7, 14, 21, 28, 35	50	4	Available Potassium (K) (Kg/ha)	100, 150, 200, 250, 300	50	5	Organic Carbon (%)	0.2, 0.4, 0.6, 0.8, 1.0	50	01 NOS		
Sr no	Name of the parameter	Range	No of Tests																									
1	pH	4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0	50																									
2	Available Nitrogen (N) (Kg/ha)	140, 280, 420, 560, 700	50																									
3	Available Phosphorus (P) (Kg/ha)	7, 14, 21, 28, 35	50																									
4	Available Potassium (K) (Kg/ha)	100, 150, 200, 250, 300	50																									
5	Organic Carbon (%)	0.2, 0.4, 0.6, 0.8, 1.0	50																									